

### **Amendments to the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:

#### **Listing of Claims:**

Claim 1 (currently amended): A light guide panel with one or more slanted light guiding parts comprising:

the a light guide panel including a light radiating part on its a front side of the light guide panel to radiate the light emitted from a light source; and

the one or more a slanted light guiding parts provided between the light source and one side end of the light guide panel, wherein the one or more slanted light guiding part forms parts form a slope to the extent that its one end of the one or more slanted light guiding parts adjacent to the light source is thicker than the other end adjacent to the light radiating part, wherein the one or more light guiding parts are provided with a recessed fitting part at one end to facilitate the connection with the light radiating part.

Claim 2 (currently amended): The light guide panel as claimed in claim 1, wherein the slope of the one or more light guiding part is parts are below the a critical angle according to the an index of refraction of each medium.

Claim 3 (currently amended): The light guide panel as claimed in claim 1, wherein the one or more light guiding part is parts are formed to be the combination of straight lines, oblique lines and curved lines.

Claim 4 (currently amended): The light guide panel as claimed in claim 1, wherein the one or more light guiding part is parts are separately formed from the light radiating part.

Claim 5 (currently amended): The light guide panel as claimed in claim 1 wherein the one or more light guiding ~~part~~ parts and the light radiating part are made from different materials.

Claim 6 (canceled)

Claim 7 (currently amended): The light guide panel as claimed in claim 3 4, wherein the one or more light guiding ~~part~~ parts and the light radiating part are made from different materials.

Claim 8 (new): A light guide panel with a slanted light guiding part comprising:

the light guide panel including a light radiating part on a front side of the light guide panel to radiate the light emitted from a light source; and

the slanted light guiding part provided between the light source and one side end of the light guide panel, wherein the slanted light guiding part forms only one side slope to the extent that one end of the slanted light guiding part adjacent to the light source is thicker than the other end adjacent to the light radiating part.

Claim 9 (new): The light guide panel as claimed in claim 8, wherein the slope of the light guiding part is below a critical angle according to an index of refraction of each medium.

Claim 10 (new): The light guide panel as claimed in claim 8, wherein the light guiding part is formed to be the combination of straight lines, oblique lines and curved lines.

Claim 11 (new): The light guide panel as claimed in claim 8, wherein the light guiding part is provided with a recessed fitting part at one end to facilitate the connection with the light radiating part.

Claim 12 (new): The light guide panel as claimed in claim 8, wherein the light guiding part and the light radiating part are made from different materials.

Appl. No. 10/642,770  
Amdt. dated August 18, 2003  
Reply to Office Action of February 23, 2005

Claim 13 (new): The light guide panel as claimed in claim 8, wherein the light guiding part is separately formed from the light radiating part.

Claim 14 (new): The light guide panel as claimed in claim 13, wherein the light guiding part and the light radiating part are made from different materials.